

Hepatonic[®] Solution

An Ideal Livertonic

Composition

Each liter **Hepatonic**[®] solution contains:

 $\begin{array}{lll} \text{Methionine} & 50.00 \text{ gm} \\ \text{Choline Chloride} & 190.00 \text{ gm} \\ \text{Inositol} & 2.50 \text{ gm} \\ \text{Biotin} & 0.25 \text{ mg} \\ \text{Vitamin B}_2 & 200.00 \text{ mg} \end{array}$

Indications & Usages

- To prevent Fatty Liver Disease, Ascites etc.
- To protect liver from Toxin
- To improve FCR
- To reduce Stress
- After Antibiotic & Anthelmintics treatment

Dosage & Administration

Poultry: 1 - 2 ml / liter of drinking water for 5 - 7 days.

Cattle, Horse: $20 - 50 \text{ ml } \text{Hepatonic}^{*}$ solution in drinking water per day for 5 - 7 days.

Sheep, Goats, and Calves: 5 - 10 ml **Hepatonic**[®] solution in drinking water per day for 5 - 7 days

Fish: 1-2 ml / kg feed

Or, as directed by registered veterinarian/consultant

Contraindications & Side effects

Not known

Packaging

100 ml, 500 ml, 1 L & 5 L

Animal/poultry feed premix